禪

[redacted]

[redacted]

[redacted]

where the suffixes a, b refer to differentiation of $\hat{G}(a,b)$ on the world-lines of a, b respectively.

$\hat{G}$ is a Green function obeying the equation

$$\Box \hat{G}(x,x') = \frac{\delta^4(x,x')}{\sqrt{-g}}.$$

We define the 'C'-field by

$$C(x) = \Sigma \int \hat{G}(x,a)_{;i_a} \, da^i,$$

and the matter-current J^κ by

$$J^\kappa(y) = \Sigma \int \delta^4(y,b) \, db^\kappa.$$

Then $$C(x) = \int \hat{G}(x,y) J^\kappa(y)_{;\kappa} \sqrt{-g} \, dx^4,$$

$$\Box C = J^\kappa{}_{;\kappa}$$

We thus see that the sources of the 'C'-field are the places where matter is created or destroyed.

As in the case of the 'm'-field, the Green function must be time-symmetric, that is

$$\hat{G}(a,b) = \tfrac{1}{2} \hat{G}_{ret}(a,b) + \tfrac{1}{2} \hat{G}_{adv}(a,b)$$

.[illegible] [illegible] [illegible] [

اخبار جهان
شاهراه اطلاعات
تاریخ انتشار :
17:05 - 02/08/1396

برچسب:
دسترسی آزاد به اطلاعات - انتشار آنلاین - کتابخانه آنلاین - سامانه گفتار ماشینی - استیون هاوکینگ - نشر الکترونیکی

نشانی :
https://www.shabakeh-mag.com/news/10346/%D8%B1%D8%B3%D8%A7%D9%84%D9%87-%D9%87%D8%A7%D9%88%DA%A9%DB%8C%D9%86%DA%AF%D8%8C-%D9%88%D8%A8%E2%80%8C%D8%B3%D8%A7%DB%8C%D8%AA-%DA%A9%D9%85%D8%A8%D8%B1%DB%8C%D8%AC-%D8%B1%D8%A7-%D8%A7%D8%B2-%DA%A9%D8%A7%D8%B1-%D8%A7%D9%86%D8%AF%D8%A7%D8%AE%D8%AA