

۱۰ فرمان فوق العاده ADB کارهای خود در اندروید را به راحتی انجام دهید



در این مقاله ۱۰ فرمان فوق العاده ADB کارهای خود در اندروید را به راحتی انجام دهید. این فرمانها شامل موارد زیر است:

۱. Android Debug (Bridge) - این فرمان برای اتصال به دستگاه اندروید از طریق ADB استفاده می‌شود.

۱- ADB فرمان

در این مقاله ۱۰ فرمان فوق العاده ADB کارهای خود در اندروید را به راحتی انجام دهید. این فرمانها شامل موارد زیر است:

adb start-server

□□□□□ □□□□ □□□□ -2

[illegible]

```
adb backup -all -f /backup/location/file.ab
```

□□□□ □□□□□□ □□ □□□□ -3

00000000 00 0000 00000000 .00000000 0000 00000000 0000 00 000000 00 0000 000000 0000 00 0000
 00 0000 00 0000 00 00 'backup-file-location' 0000 00 0000 00000000 .000 00000 0000000000 ADB 00000000
 .00000 0000000 000000000 00000000

```
adb restore <backup-file-location>
```

0000 000 00 000000 -4

00000000 0000 00000000 00 .000 000 000000000 0000 000 0000 000 00000000 00 00 00 00000 00000 000
 000 00 **APK** 00000 000000 00000000 000 000 00 .000000 000 **ADB** 00 00000 00000 000 00 **20** 00 00000
 .0000 000 000 0000000000 0000000000

```
for %f in (<folder-path>\*.apk) do adb install "%f"
```

.\n\nFolder-path

□□□□ □□□ □□ □□□□□□□□ -5

၀၀၀၀ ၀၀ ၀၀၀၀ ၀၀ .၀၀၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀၀၀၀ ၀၀၀ ၀၀၀၀ ၀၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀၀၀ ၀၀ ၀၀၀
 ၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀ ၀၀ ၀၀၀၀၀၀၀၀၀ ၀၀၀၀၀ ၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀၀၀၀၀ ၀၀ ၀၀၀၀၀၀ ၀၀၀၀၀၀၀
 ၀၀၀၀၀၀၀၀၀ ၀၀၀ ၀၀၀ ၀၀၀၀၀၀၀၀၀ ၀၀၀ ၀၀၀၀၀၀၀၀ ၀၀၀ ၀၀၀၀ ၀၀၀ ၀၀၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀၀ ၀၀၀၀၀
 ၀၀၀၀ ၀၀၀၀၀၀၀၀၀ **ADB** ၀၀၀၀၀ ၀၀ ၀၀၀၀၀၀၀၀ ၀၀ .၀၀၀၀၀၀ ၀၀၀၀ **ADB** ၀၀ ၀၀၀၀၀၀၀ ၀၀၀ ၀၀၀ ၀၀၀ .၀၀၀၀၀၀၀၀၀
 .၀၀၀၀၀ ၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀ ၀၀၀၀၀၀၀၀

```
adb shell screenrecord <folder-path/filename.mp4>
```

.
filename Folder-path
Folder-path

□□□□□□ □□ □□□□□□ □□□□□□□□ -6

0000 00 .0000000 00000000 0000000 0000000 0000 dumpsys 000000 00 000000 00 00 00000000 000000
000000 000 .0000 00000000 000000 000 00 00 000000000000 000000 0000000 000000 00000000 000000
.000000 0000 000000 00 00000000000 00000000

```
adb shell dumpsys | grep "DUMP OF SERVICE"
```

0000 00 0000 0000 00000000 00000 0000 dumpsys 00000000 00000000 00 00000000 0000 000 000000
 0000000000 000000 00 00000000000 0 00000000000 0000 000000 000000000 000000000 00 00 00000000 00 .000000
 .00000 00000000 00

adb screen -7

adb screen command is used to take screenshots from the device. The command is as follows: adb screen. The command will take a screenshot of the device and save it in the current directory. The command is as follows: adb screen. The command will take a screenshot of the device and save it in the current directory.

```
adb shell screencap -p "/path/to/screenshot.png"
```

The command will take a screenshot of the device and save it in the current directory. The command is as follows: adb screen. The command will take a screenshot of the device and save it in the current directory.

adb reboot-recovery -8

adb reboot-recovery command is used to reboot the device into recovery mode. The command is as follows: adb reboot-recovery. The command will reboot the device into recovery mode. The command is as follows: adb reboot-recovery. The command will reboot the device into recovery mode.

```
adb reboot-recovery
```

adb pull [source] [destination] -9

adb pull command is used to pull files from the device to the host. The command is as follows: adb pull [source] [destination]. The command will pull the file from the device to the host. The command is as follows: adb pull [source] [destination]. The command will pull the file from the device to the host.

```
[adb pull [source] [destination]
```

The command will pull the file from the device to the host. The command is as follows: adb pull [source] [destination]. The command will pull the file from the device to the host.

adb kill-server -10

adb kill-server command is used to kill the adb server. The command is as follows: adb kill-server. The command will kill the adb server. The command is as follows: adb kill-server. The command will kill the adb server.

```
adb kill-server
```

:adb kill-server

adb kill-server

:adb kill-server

techviral.net

:adb kill-server

adb kill-server

adb kill-server

:adb kill-server

07:45 - 27/10/1397

:adb kill-server

adb kill-server - ADB kill-server - ADB kill-server

adb kill-server

<https://www.shabakeh-mag.com/computer-science/14121/%D8%AD%D8%AA%D9%85%D8%A7-%D8%A8%D8%A7%DB%8C%D8%AF-%D8%A8%D8%A7-%D8%A7%DB%8C%D9%86-10-%D9%81%D8%B1%D9%85%D8%A7%D9%86-%D9%81%D9%88%D9%82%E2%80%8C%D8%A7%D9%84%D8%B9%D8%A7%D8%AF%D9%87-adb-%D8%A2%D8%B4%D9%86%D8%A7-%D8%A8%D8%A7%D8%B4%DB%8C%D8%AF>