

1111111111111111

00000000 0 000000000 EAP600 00 0000 0000000000 000 000 0000 EAP 00000000 000 00 EnGenius 0000
 000 .00 Reddot Design00000 000000 000000 000 000 0000 00 0 000000 2012 000 00 000000 0000 000 .000
 0000000000 00 000000 000000000 000 0 000 0000 802.11n 000000 000000000 00000000000 00 0000000000
 0 000000000 000000 000000000 00 000000000 0000000000 000 00 .000000 0000 PoE 00000000 0000 00 802.3af

WDS Bridge WDS AP :
 .
WDS.

2015 年 1 月 1 日至 2015 年 12 月 31 日 : 2015 年 1 月 1 日至 2015 年 12 月 31 日

1. 5dBi 300 EAP600 300 600 5 26dBm 2.4 29dBm 8 64 Atheros AR9382 AR9344 .

[illegible][illegible][illegible]

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐

EnGenius®
Wireless Access Point/Client Bridge

API/AP

Status

- [Save/Reload](#)
- [Main](#)
- [2.4G Wireless Client List](#)
- [5G Wireless Client List](#)
- [System Log](#)

System

- [Operation Mode](#)
- [IP Settings](#)
- [Spanning Tree Settings](#)
- [Band Steer](#)

2.4G Wireless

- [Wireless Network](#)
- [Wireless MAC Filter](#)
- [Wireless Advanced Settings](#)
- [WPS](#)

5G Wireless

- [Wireless Network](#)
- [Wireless MAC Filter](#)
- [Wireless Advanced Settings](#)
- [WPS](#)

Management

- [Access Control](#)

[Home](#)
[Reset](#)

Main

System Information

Device Name	EAP600
Ethernet MAC Address	88-DC-96-0D-AF-EA
2.4G Wireless MAC Address (SSID MAC)	1 88-DC-96-0D-AF-EA
	2 N/A
	3 N/A
	4 N/A
	5 N/A
	6 N/A
	7 N/A
	8 N/A
5G Wireless MAC Address (SSID MAC)	1 88-DC-96-0D-AF-EB
	2 N/A
	3 N/A
	4 N/A
	5 N/A
	6 N/A
	7 N/A
	8 N/A
Country	N/A
Current Time	Wed Mar 12 06:13:16 UTC 2014
Firmware Version	1.5.4
Management VLAN ID	Untagged

LAN Settings

IP Address	192.168.1.1
Subnet Mask	255.255.255.0

□□□□□□ □□□ □□ □□□□□□ :2 □□□

በህግ ስር ስለሚገኝ ማንኛውም ሰነድ ለማረጋገጥ የሚያስፈልግ የሆኑትን ሰነዶች ለማግኘት ማስፈራሪያ ማድረግ ይገባል፡፡

Status

- Save/Reload
- Main
- 2.4G Wireless Client List
- 5G Wireless Client List
- System Log

System

- Operation Mode
- IP Settings
- Spanning Tree Settings
- Band Steer

2.4G Wireless

- Wireless Network
- Wireless MAC Filter
- Wireless Advanced Settings
- WPS

5G Wireless

- Wireless Network
- Wireless MAC Filter
- Wireless Advanced Settings
- WPS

Management

- Administration

Wireless Mode	802.11 a/n Mixed ▾			
Channel HT Mode	20/40MHz ▾			
Extension Channel	Upper Channel ▾			
Channel / Frequency	Ch36-5180GHz ▾		☒ Auto	
AP Detection	Scan			

Current Profiles				
SSID	Security	VID	Enable	Edit
EnGenius0DAFEB_5G	None	51	☒	Edit
EnGenius0DAFEB_2.5G	None	52	☐	Edit
EnGenius0DAFEB_3.5G	None	53	☐	Edit
EnGenius0DAFEB_4.5G	None	54	☐	Edit
EnGenius0DAFEB_5.5G	None	55	☐	Edit
EnGenius0DAFEB_6.5G	None	56	☐	Edit
EnGenius0DAFEB_7.5G	None	57	☐	Edit
EnGenius0DAFEB_8.5G	None	58	☐	Edit

.□□□□ □□□□ *Edit* □□□□ □□□□ □□□□□□ □□□□□□ □□□□□□ □□□□□□ :3 □□□□


[illegible]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

00000000 0000 00 00000000 000000 .00000 5dBm 000000 00000 00000 00000 0000 00 000000 000000 0000 00000000 00
 00000 00000000 000000 00 0 000000000 2.4 00000000 00 .00 00000 00000 0000000000 00000000 0000000000 00
 0 00000000 00 0 000000 00000 00000 0000 0000 0000 N 0000 00000000 000000 00 .000000 -21dbm000000 0000000000
 000000 00 0 00000000 0000 7 0 5 0000000000 00 0 00000000 000000 00000 00 00000 .000000 0000 0000000000 000000
 00 000000 00 00000000 00000 00000000000 00000000 00 .000000 - 40dBm 00 0000000000 00000 00000 00000 00 0000
 00 0 0000 00 000000 0000000000 00000 0000 0000 00000000 0000000000 00 000000000 .000000 000000 00000 00000
 00000 00 .000000 000000 00000000 00000 0000000000 5 00000000 0000 .00000000 -70dBm 00 00000 0000 20 0000000000
 00 0 000000 00000 -40dBm 000000 00000000 00 000000 0000000000 00 00000000 0000 00000000 00000 000000
 00000000 00000000 .000000 00 00000000 0000 0000 0 00000000 00000000 00 00 0000000000 00000 00000000 0000000000
 .(4 0000) 0000 0000 30 0 20 0000000000 0000 0000000000 5 00000000 00 00000

Distance (Meter)	5 GHz (-dBm)	2.4 GHz (-dBm)
15	67	66
10	63	59
7	58	51
5	48	38
2	40	21

000000 000000 0 000000 000000 0000000000 000 000000 000000 000000 000000 000000 0000 00
 000000 00 .000000 000000 0 000000 00 000 00 000000 0000 00 000000
 000000 000 00000000 .000000 000000 000 20 0 15 010 05 02 000000000 00 00 000000000 00000000 000 0000
 .000 000000 000 000 00000000 00

[illegible]

<https://www.shabakeh-mag.com/networking-technology/1380>:
 ۰۰۰۰۰ ۰۰۰۰۰۰