禪

راهکارهایی برای گسترش محدوده دریافت امواج وایفای

4 ترفند افزایش قدرت سیگنالهای روترهای بیسیم . . . . .

BOOST Wi-Fi RANGE

سیگنال شبکه وایفای خانگی را میتوان با صرف اندکی زمان و چند تغییر ساده تقویت کرد . برخی از این تغییرات در تمام مودمها و روترها مشترک هستند اما برای افزایش بیشتر کارایی باید به قابلیتهای سختافزاری موجود در روتر و دستگاه افزایش دهنده قدرت سیگنال خود مراجعه کنید . این نکته را نیز فراموش نکنید که دستگاههای وایفای قدیمی متصل شبکه شما نیز میتوانند روی کارایی آن تاثیر منفی داشته باشند .

ارتقا به وایفای 5 گیگاهرتز

اغلب روترهای بیسیم موجود همچنان از فرکانس قدیمی 2.4 گیگاهرتز استفاده میکنند، در حالی که روترهای جدید 802.11ac توانایی استفاده از هر دو فرکانس 5 و 2.4 گیگاهرتز را دارند . دستگاههای جدید سازگار با 5 گیگاهرتز به طور خودکار به وایفای 5 گیگاهرتز متصل میشوند، در حالی که دستگاههای قدیمیتر شما تنها میتوانند به وایفای 2.4 گیگاهرتز متصل شوند .

.5 ةكبشلا ىلع ةيلاعف لقأ ةانق ىلع ةيلاعف لقأ ةانق ىلع ةيلاعف لقأ ةانق

wireless range extender wireless repeater

802.11ac 802.11ac

Router Default Settings
IP Address: 192.168.1.1
Username: Please Leave
Password: admin
This device complies with part 15 FCC rules.
Operation is subject to the following two conditions:
FCC ID: Q87-WRT54GC
Power: 3.3V 2A
LINKSYS
Compact
Wireless-G Broadband Router
WRT54GC

[illegible] [illegible] [illegible] [

2015

CES 2016: 802.11ad + 7

CES 2016: +

PoWiFi

!

:

:

:

10:20 - 09/11/1394

:

-

:https://www.shabakeh-mag.com/networking-technology/2820