





Command 창 실행을 위해 Windows 실행 대화 상자를 열고 'cmd'를 입력한 후 Enter 키를 누릅니다. 이 작업은 관리 권한으로 생성됩니다. ipconfig 명령을 실행하여 IP 설정을 확인합니다.



```

Administrator: C:\Windows\system32\cmd.exe

Ethernet adapter Local Area Connection* 9:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter Local Area Connection 8:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::b975:bd26:5d1c:6ca2%19
    IPv4 Address. . . . . : 192.168.1.100
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 192.168.1.1

Ethernet adapter Local Area Connection 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter Local Area Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

C:\Users\Administrator>

```

. 192.168.1.1 Default Gateway

```

Administrator: C:\Windows\system32\cmd.exe

Ethernet adapter Local Area Connection* 9:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter Local Area Connection 8:

    Connection-specific DNS Suffix  . :
    Link-local IPv6 Address . . . . . : fe80::b975:bd26:5d1c:6ca2%19
    IPv4 Address. . . . . : 192.168.1.100
    Subnet Mask . . . . . : 255.255.255.0
    Default Gateway . . . . . : 192.168.1.1

Ethernet adapter Local Area Connection 2:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :

Ethernet adapter Local Area Connection:

    Media State . . . . . : Media disconnected
    Connection-specific DNS Suffix  . :


C:\Users\Administrator>

```

.

Open Network and Sharing Center


Open Network and Sharing Center



Connection Local Area Network (LAN) is a network that connects computers and devices in a limited area, such as a home or office. It is typically used for sharing files and resources between devices. Connection 8 is a specific network connection that is currently active.



Details of the network connection show the Default Gateway, which is the IP address of the router that connects the local network to the Internet. The Default Gateway is typically 192.168.1.1 or 10.0.0.1.



این آدرس را در تنظیمات روتر خود وارد کنید. اگر روتر شما از این آدرس پشتیبانی نکند، می‌توانید از آدرس دیگری استفاده کنید.

:آدرس روتر

[آدرس روتر](#)

:آدرس

[ubergizmo](#)

:آدرس روتر

[آدرس روتر](#)

:آدرس روتر

12:05 - 09/04/1394

:آدرس

[آدرس](#) - [آدرس](#)

<https://www.shabakeh-mag.com/networking-technology/947>:آدرس روتر