禪

[illegible]

[illegible]

[illegible] Beebox [illegible] Braswell [illegible] USB Type-C [illegible] 2015 [illegible].

[illegible] Braswell [illegible] Cherry Trail [illegible] 14 [illegible] Surface 3 [illegible]. Braswell [illegible] (TDP) [illegible] 2 [illegible] Cherry Trail [illegible] SATA [illegible] USB [illegible] Airmont [illegible] Broadwell [illegible].

1.04 □□□□ □□ □□□□□□ □□ □□□□□□□□□ □□□ .□□□ N3000 □□□□□ Beebox □□□□ □□□ □□□□□ □□□ □□ □□□□□ □□□□□□ □□ □□□ □□□□□□□ □□□□□□□□□ □□ □□ □□□□□ Turbo □□□□ □□ □□□□□□□□□ 2.08 □□□□ □□□□□□ □ □□□□□□□□□ □□ □□□□□□□□□ □□ □□□□□□□□ □□□ □□□ □□□ □□□□□□ □□□□□□□. □□□□□□□ □□□□□□ .□□□ □□□□ □□□□□□□□ 600 □□□□ □□ □□□□□□□□ Bay Trail-D □□□□□□□□□ □□ □□□□ □□□ □□□□ □□□□□ Haswell □ Broadwell □□□□□□ □□ □□□□□ □□□□□□□ .□□□ □□□□□□□□□

□□□□ .□□□□□ □□□□□ □□□□□ NUC □□□□ □□□ □□□□□ □□□□□□ □□□□□□ □□□□ □□□□□□ □□ Beebox □□□□□ □□□ □□ □□ □HDMI □□□□ □□ □Type-A USB 3.0 □□□□ □□ □□□□ □□□□ □□ .□□□ □□□ □□□□□ □□□□□ □□□□□□ □□□□□□ □□ □USB 3.0 Type-A □□□□ □□ □□□ □□□ □□□□ □□□ □□ □ DisplayPort □□□□□□□ □□ □ □□□□□ □□□□□□□ □□□□□ □□ □□□□□□□□□ □□□□ □□□ □□ □□□□□ □□□□□□□□□ □□□□□ □□ □□ □□□□ □□□□ □□□□□ □□ □□ □ USB 3.0 Type-C □□□□ Bay Trail-D □□ □□□□ Braswell □□□□□ □□□ □□ □□□□□ □□□□ □□□□□ / □□□□□ □□□□□ □□□□ .□□□□□□ □□□□□ .□□□□□ USB 2.0 □□□□□ □□□□ □□□ □ USB 3.0 □□□□ □□ □□□□ □□□□ Bay Trail □□□□□□□□ .□□□ □□□□□ □□□□□□ □□ □□□□ □□ □□ □□□□□□□□□□□ □□□□ Bay Trail □□□□□□□□ .□□□ □□□□ □□□□ □□□□□ □□ □□□□□□□ □□ □□□□□□□□ .□□□ □□□□□□□□□ □□ □□□□□□□ □□ □□□□ □□ □□ □□□□□□□ Braswell □□□ □□□□□ □□□□□ □□ □□□□□□□



[illegible] HTPC [illegible]
Beebox [illegible] 802.11ac [illegible] 4.0 [illegible]
[illegible].

[illegible]
[illegible] NUC [illegible] 2 [illegible] 32 [illegible]
mSATA [illegible] 10 [illegible] 4 [illegible] 128 [illegible]
[illegible] mSATA [illegible]
[illegible].

[illegible] 16 [illegible] 1600MHz DDR3 [illegible]
[illegible] 2.5 [illegible] SATA [illegible]
[illegible] 2.5 [illegible] SSD [illegible] HDD [illegible]
[illegible]
[illegible].



Beebox Small, Fast, Quiet

L10 Specification

	Full System-1	Full System-2
CPU	Intel® N3000 Processor (Up to 2.08 GHz)	
Cooling	Fanless Design	
OS	Windows 10	N/A
Chipset	Intel® N3000 SoC	
Memory	2GB DDR3L-1600MHz	4GB DDR3L-1600MHz (2x2GB)
	Supports DDR3L 1600MHz, 2 x SO-DIMM slots, Max. 16GB	
HDD	32GB mSATA SSD	128GB mSATA SSD
	Supports 1 x 2.5" SATA HDD	
LAN	Gigabit LAN	
WiFi	802.11 a/b/g/n/ac + BT 4.0	
Audio	Realtek ALC283	
Front I/O	1 x USB 3.0, 1 x USB 3.0 (Type C), 1 x IR, 1 x Audio-out with MIC-In	
Rear I/O	2 x HDMI, 1 x DP, 2 x USB 3.0, 1 x LAN, 1 x Kensington lock	
Power Unit	36W/12V Adapter	
Dimension	110mm (W) x 46mm (H) x 118.5mm (L)	
Controller	Remote Controller	
VESA	Bracket included, supports 75 x 75 and 100 x 100 mm	
Volume (Liters)	0.6L	

[illegible] HTPC [illegible].

[illegible]:

[illegible]

[illegible]:

[illegible]

[illegible]:

[illegible]

[illegible]:

12:43 - 01/03/1394

[illegible]:

ASRock - Beebox - [illegible]

[illegible]:https://www.shabakeh-mag.com/news/world/673