

[illegible][illegible]

000000 0000 00 00 00000000 000000 0000000000 0000000 00000000 00 000000 0000000000 00 0000 000 000000 0000
 0000 0000 000000 00 0000 000000 0000 00 000000 0000000 000000 00 00000000 0000000000 00 0000 0
 0000 00000000 0000 000000 0000000000 00 00 0000000000 .000 0000000000 0 000000000000 000000 0 0000000000
 0000000 00 0000000000 0000000 0000 000000 00000 00000 00000 0 00000 00 000000 0000000000000000000 0000 0000
 0000000000 000000 00000 00000 0000 000000 .00000 000000 00 0000000000 0000000000 00 00 0 000000000 0000 00000
 0000 0000000000 00 00000 .000 000000 00 00000 0000 0000 000000000000 0000000000 00000 0 000000 00 000000 0000000000
 00000 0000 000 0 00000000 00 00 00 0000 000000 00000 00 0000000000 00 0000 00 000000 000000 0 00000000000 00
 .00000000 000000 00 00 00000000000000 00 00000 00 0000000000 000000000000 00 000000 0000000000 00000 0000
 0000000 0000 0000 00000000 0000 000000 0 00000000 0000000 000000 000000 000000 000000 000000 000000 000000 000000 000000 000000 000000
 0000000000 00 00000000 000000 0000000000 000000 000000 00 0000000000 00 0000000000 000000 0NFC 0000000000 000000
 0000000000 000000 0000000000 00 000000 00000000 00000 00000000 00 000000 00000000 0000000 0000000000
 00 000000000000000000 0 00000 0000000 000000 0 00000000 0000000 0000000 000000000000 0000000 0 0000 00000 00000000

Diagram illustrating the structure of a 16-bit bus (16 bits wide) with 4 data lanes (4 lanes wide). The bus is divided into four segments, each labeled with a colon and a 4-bit binary value (0000, 0001, 0010, 0011). The segments are connected by horizontal lines, indicating a sequential flow of data.

14:00 - 25/07/1395

:□□□□□

95 □□□□□ - □□□□ □□□□□ □□□□□ - 2016 □□□□□

<https://www.shabakeh-mag.com/opinion/5060>:□□□□ □□□□□