




□□□□ □□□□ □□□□ □□□□ □□ □□ □□ □□□□ □□ □□□□

00000 00000000 00 00 00000000 00 00000000 000000 00 00000 00 .000000 00000 00000 00 00 00000000 000000 00000
 00 00000 00000 00 00000 00000 000000 0000 000000 00 000000000 00000 000000 00 00 0000 000000 00000 000000
 00 0 000000 00000 000000000 00000000 .00000 0000000 000000000000 00 00 0000 00000 0000000 000000 00 00000
 00 00000000 .00000000 0000000000 00000000000 00000 0000000000 00 00 00000000 000000 00000 .0000 000000000000 00000000
 0000000000 802.11ac 000000000000 00 0000 00000 0000000000 000000000 000000000 00 00000000 0000000 00 00000
 0000 00 .000000 00000000 000000 00000000000 N 0000 000000000000 00 00000 0000 0000 0000 0000 0000 000000 00 000000
 0000000 0000 0000 00 00000 0000 .0000000 00000 LAN 0000000 00000 00 0 N 0000 00000000000 00000 00 00000 00000 000
 00000 0000 0000 0 (Main Router) 000000 000000 00 0000 000000 0000 0000 00 .00000000 0000 00000 WAN 0000000 00
 .0000 (Access Point) 0000000 00000



N ကို အသုံးပြုသော LAN ကိုယ်စားပြုသည့် အချက်အလက်များကို အောက်ဖော်ပြပါအတိုင်း ဖော်ပြထားပါသည်။

N 000 0000 LAN IP address 0000 00 .00000 Network > LAN 0000 00 00 000 0000 0000 00 :2 00000
0000 0000 0000 000 0000 000 .0000 0000 00 0000 0000 0000 0000 00 00000 0000 0000 0000 00000000
000 0000 00000 .00000 00000000 0000 00 0000 0000 DHCP 0000 00 0000 0000 00000000 000000 00 0000
0000000 00000000 00 192.168.2.199 00 192.168.2.100 0000 00 0000 00000000 0000 0000 DHCP 0000
00 0000 0000 X 00000000 00000 00 .0000 00000 x.192.168.2 00 00000000 N 0000 0000 0000 0000 000
.000 000000 192.168.2.11 00 0000 000000 .0000 DHCP 0000000

Network	MAC Address:	94-0C-6D-4B-99-2E
- LAN	IP Address:	192.168.2.11
- WAN	Subnet Mask:	255.255.255.0
- MAC Clone		

[illegible]

無線 LAN 設定 (SSID) を変更する場合は、Wireless> Wireless Settings を開き、3 番目の

.0000 0000 00 Save 0000 00000 00000 00 000 .0000 0000 0000 000 00 000000 00 00000 00000000

WPS

Network

Wireless

- Wireless Settings

- Wireless Security

- Wireless MAC Filtering

- Wireless Advanced

- Wireless Statistics

Guest Network

DHCP

USB Settings

NAT

Forwarding

Security

Parental Control

Access Control

Advanced Routing

Wireless Network Name: TP-LINK_0919 (Also called the SSID)

Region: United States

Warning: Ensure you select a correct country to conform local law. Incorrect settings may cause interference.

Mode: 11bgn mixed

Channel Width: Auto

Channel: Auto

☒ Enable Wireless Router Radio

☒ Enable SSID Broadcast

☐ Enable WDS Bridging

Save

.0000 0000 00 000000 0000 0000000 00000000 0 000000 Wireless> Wireless Security 0000 00 :4 000000
000000 00 00 .0000 000000 000000 00 0000 000000 00 WPA/WPA2-Personal 000000 0000000 00000000
.000 000000 00000000 00 0000 0000 00 Save 0000 00000000 000000

Wireless

- Wireless Settings
- Wireless Security
- Wireless MAC Filtering
- Wireless Advanced
- Wireless Statistics
- Guest Network
- DHCP
- USB Settings
- NAT
- Forwarding
- Security
- Parental Control
- Access Control
- Advanced Routing
- Bandwidth Control
- IP & MAC Binding
- Dynamic DNS
- IPv6 Support
- System Tools
- Logout

Disable Security

WPA/WPA2 - Personal(Recommended)

Version: WPA2-PSK

Encryption: AES

Wireless Password: hello-tp-link

(You can enter ASCII characters between 8 and 63 or Hexadecimal characters between 8 and 64.)

Group Key Update Period: 0 Seconds

(Keep it default if you are not sure, minimum is 30, 0 means no update)

WPA/WPA2 - Enterprise

Version: Automatic

Encryption: Automatic

Radius Server IP:

Radius Port: 1512

(1-65535, 0 stands for default port 1512)

Radius Password:

Group Key Update Period: 0

(in second, minimum is 30, 0 means no update)

WEP

Type: Automatic


WEP Key Format: Hexadecimal

Key Selected	WEP Key	Key Type
Key 1:		Disabled
Key 2:		Disabled
Key 3:		Disabled
Key 4:		Disabled

Save

.0000 00000 00000000 5 0000 000 00 000000 0000 0000 000000 00000000 00000000 0000 00 00 000

❑ **Disable the DHCP Server** ❑ **DHCP > DHCP Settings** ❑ :5
❑ Save ❑ .
.



በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡ Reboot ስራው በ System Tools > Reboot ላይ ሲፈጸም፡፡



በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡ LAN ስራው በ Network > LAN ላይ ሲፈጸም፡፡ N ስራው በ Network > N ላይ ሲፈጸም፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

በዚህ ሪፖርት ላይ የሚገለጹት ስራዎች በሰላም ተፈጻሚ ሆኖታል፡፡

<https://www.shabakeh-mag.com/tricks/network-tricks/17429/%DA%86%DA%AF%D9%88%D9%86%D9%87-%DB%8C%DA%A9-%D8%B1%D9%88%D8%AA%D8%B1-%D8%B1%D8%A7-%D8%A8%D9%87-%DB%8C%DA%A9-%D8%A7%DA%A9%D8%B3%D8%B3%E2%80%8C%D9%BE%D9%88%DB%8C%D9%86%D8%AA-%D8%AA%D8%A8%D8%AF%DB%8C%D9%84-%DA%A9%D9%86%DB%8C%D9%85%D8%9F>