

--	--	--	--



00000000 00000000 0000 0000 Not Only SQL 000000 00 000000 0000 00 000000000000 00000000 00000000
 000 0000 00 0000000 0000 00 0000000000 00000000 000000 000000 0 0000000 0000000 0000 0000 00000000
 00 000000000 000 00 000000 NoSQL .0000 000000000000 00 00000000000 00000000 00 000000000 00000 000
 0000000 00000000 0000000 0 0000000000000 00 000000 000000 00 00000000 00 000 000000000000 0 0000000000
 .000000 00000000 000000

0000 00000000 00000000 0000 MySQL 000000 0000000000 0000000000 00000000 00 000000 000 0000 0000000000 00
 00 000000 000000 0000 00 000000 0000 00 00 0000 000000000000 000000 0000000 NoSQL 00000000 .000000
 0000 00000 00 00 00 0000000000 .000000 000000 0 000000 00 000000 0 000000 00000 00000000 00000000 000000 000000000
 00000000 .00000000 000000000 0000000 00000 000000 000000 0000000000 000000 00000000000 000000000000 0000
 00 0 00 000000 000000000 0 00000 000000000 000000000 000000 000000000 00000 00000000 0000 000000 00 NoSQL
 00000 00000000 00000000000 000000000 000000000000 00000000 0000 00000000000 .000000 00000 000000000 00000 0000000
 00000 00000 00 0000 00000 0000000000 000000 00000000000 00 000000 00000 00000 00 00000 00 000000000 00 00000000

[illegible]

NoSQL 数据库 数据库 数据库

000000 00 00 00000000 00000000 00000000 00000000 00000000 00 000000 00 NoSQL 0000000000 00000000
 00000000 00 0000 .000000 0000 00 000000000000 0000000000 00000000 00 000000 0000000000 1 0000 .000000
 .000 000000 00000000 0000 000000 00 000000 0000000000 0000000000 00000000 00 00000000 00 NoSQL 00000000

[illegible]

Not Only $\mathbb{R}^n$ But $\mathbb{R}^n$ and $\mathbb{C}^n$ are n -Dimensional

数据库 数据 数据库 数据库 数据库 数据库 数据库 **SQL**
 数据库 数据库 数据库 数据库 数据库 数据库 数据库 数据库 数据库
 数据库 数据库 数据库 数据库 数据库 数据库 数据库 数据库 数据库

□ □ □ □ □ □ □ □ □ □

[illegible]

Page 10 of 10

00 000000 (0000) 00 000000 0 000000 000000 00 000000 00000 00000000 00000000 00000000 00 000000
 00000000 000000 0 0000000000 000000 00 000000 00 0000 0000000000 00000000 00 00 000000 0000 000
 00 0000 0000 00000000 00 0000000 00000000 0000 0000 NoSQL 00000000 00 0000000 00 .0000 0000 00000000
 .000000 0000 000000 0000 commodity Servers 0000 00 0000000 00 00 0000000000 0000 0000 0000 00000
 00 0000 0000 0 0000 00000000 0000000 0000000 00000 0000000 00 00000 000 0000000000 00 00000 000
 0000 0000 00000 000000 0000000000 00 00000000 00 00000000 .0000 0000 000 0000000 000000 0 0000 0000
 00000000 000000 00 000000 00000000000 0000 0000000 000000 000000 000000 000000 0000000000 0000 00
 .0000 00000000 00 0000000000

[illegible][illegible]

၀၀၀၀ ၀၀၀ Masterless ၀၀ ၀၀၀၀၀၀ ၀၀ ၀၀၀၀ ၀၀၀ ၀၀ ၀၀၀၀၀၀၀၀၀ ၀၀၀၀၀၀၀၀၀၀ ၀၀၀၀၀၀၀၀ ၀၀၀၀၀၀၀ ၀၀ ၀၀၀၀၀၀
 ၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀ ၀၀ ၀၀၀၀၀၀၀ ၀၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀၀၀ ၀၀ ၀၀၀၀၀၀ ၀၀၀၀၀၀ .၀၀၀၀၀၀ ၀၀၀၀၀၀၀
 ၀၀၀ ၀၀၀၀၀ ၀၀၀ .၀၀၀၀ ၀၀၀၀၀၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀၀၀၀၀၀၀ ၀ ၀၀၀ ၀၀၀၀၀၀ ၀၀
 ၀၀၀၀၀၀ ၀၀ ၀၀၀ ၀၀၀၀၀၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀ ၀၀ ၀၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀
 ၀၀၀၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀၀၀၀ ၀၀၀၀ ၀၀ ၀၀၀၀၀ ၀၀၀၀၀ ၀၀၀
 .၀၀၀၀ ၀၀၀၀၀ ၀၀ ၀၀၀၀၀၀ ၀ ၀၀၀၀၀၀၀

DBMS (Database Management System) သည် အချက်အလက်များကို စီစဉ်စီမံခန့်ခွဲပေးသော အင်္ဂါအမြောက်အမြားတို့ဖြစ်သည်။ RDBMS (Relational Database Management System) နှင့် NoSQL (Not Only SQL) သည် DBMS ၏ အမျိုးအစားနှစ်ခုဖြစ်သည်။ RDBMS သည် အချက်အလက်များကို ဇယားများဖြင့် စီစဉ်စီမံခန့်ခွဲပေးပြီး NoSQL သည် အချက်အလက်များကို ဂရုတ်စာရင်းများဖြင့် စီစဉ်စီမံခန့်ခွဲပေးသည်။

11111111111111111111

[illegible]


□□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□ □□□□□□

[illegible]

-1

[illegible]

. Redis Riak MemcacheDB



-1

NoSQL

Redis Riak MemcacheDB

Redis Riak MemcacheDB

-2

Redis Riak MemcacheDB

데이터를 어떤 형식으로 저장할지 선택할 때 고려해야 할 요소는 여러 가지가 있습니다. 예를 들어, 데이터의 양, 데이터의 복잡성, 데이터의 접근 방식, 데이터의 보안, 데이터의 비용 등입니다. 이 문서에서는 이러한 요소들을 고려하여 데이터 저장 방식을 선택하는 방법을 소개합니다.

☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐ ☐



□□□□□ □□□□□ □□□□□ □□□□□□

□□□□□□ □□ □□□ □ □□□ □□□ □□□□□□ □□ □□ □□□□□□

●□□□ □□ □□□□□□ □□□□□□□□□□ □□□□□□□□ □□□□□□□□ □□□□□□ □□□□□□

[illegible]

□□□□ □□ □□□□□ □□□□□□□□ □□□□□□ □□□□□□ -3

000000 0000 0000000000 0000000000 00000000 000000 00 0000 00 000000 000000000000 0000000000 00000000 00
 00000000 00 00000 000 0000 00 000000 000000000000 0000000000 0 00000000 00000 00 00000 000000 00000000
 00 0000000000 0000000000 000000 0000 0000000000 00000000 00 000000 0000000000 .0000000 00000000000 0 0000000000
 0000000000 0000 00 .0000 000000 0000000 00000 0000 00 00 00000 00000 00 0000 00000 00 0000 00000000
 000000 00 00000 000000 000000 000000 00 00000 000000 000000 0 0000000 00 0000000 00000000 0000000000

Database Management System (DBMS) is a software system that manages a database. It provides a systematic way to organize, store, retrieve, and manage data. DBMSs are used in a wide variety of applications, from small business databases to large-scale enterprise systems. They provide a layer of abstraction between the user and the underlying hardware, making it easier to work with data.

NoSQL Database Management System

DBMS is a software system that manages a database. It provides a systematic way to organize, store, retrieve, and manage data. DBMSs are used in a wide variety of applications, from small business databases to large-scale enterprise systems. They provide a layer of abstraction between the user and the underlying hardware, making it easier to work with data. NoSQL databases are a type of DBMS that are designed to handle large volumes of data and provide high scalability and availability. They are often used in applications where data is distributed across multiple servers and where the data is constantly changing.

Database Management System



Database Management System

Database Management System

Database Management System

Database Management System (DBMS) is a software system that manages a database. It provides a systematic way to organize, store, retrieve, and manage data. DBMSs are used in a wide variety of applications, from small business databases to large-scale enterprise systems. They provide a layer of abstraction between the user and the underlying hardware, making it easier to work with data. NoSQL databases are a type of DBMS that are designed to handle large volumes of data and provide high scalability and availability. They are often used in applications where data is distributed across multiple servers and where the data is constantly changing.

Cassandra is a distributed database management system that is designed to handle large volumes of data and provide high scalability and availability. It is often used in applications where data is distributed across multiple servers and where the data is constantly changing.

Database Management System -4

Entity-Attribute Model is a data model that is used to represent the relationships between entities and attributes. It is often used in database design to define the structure of a database. The model consists of entities (represented by rectangles) and attributes (represented by ovals). Relationships between entities are represented by lines. The model is used to define the structure of a database and to design the database schema.

