

[HTML 5.2](#)



HTML 5.2 是 HTML 5.1 的後續版本，由 W3C 於 2014 年 12 月 17 日通過。HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。

HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。

HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。



HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。

[HTML 5.2 的開發工作是在 HTML 5.1 的基礎上進行的，主要目的是增加一些新的功能，並對一些現有的功能進行改進。](#)

HTML 5.2 新機能の概要と変更点について

この文書は、HTML 5.2 の新機能と変更点について、Payment Request API、Content Security Policy (CSP) の変更点、およびその他の重要な変更点について説明します。

この文書は、HTML 5.2 の新機能と変更点について、Payment Request API、Content Security Policy (CSP) の変更点、およびその他の重要な変更点について説明します。

ダウンロード



2015 年 10 月 1 日 現在

[HTML 5.2 の新機能と変更点について](#)

この ARIA 属性は、dialog 属性と組み合わせて使用されます。また、<link> 属性の nonce 属性、allowpaymentrequest 属性、Content Security Policy の変更点、PaymentRequest API の <iframe> 属性、HTML 要素の innerText IDL 属性、MP4 媒体トラックの about:html-kind URL、およびその他の重要な変更点について説明します。

§ New features

- The `<dialog>` element.
- Integration with the JavaScript module system of [ECMA-262].
- Referrer policy [REFERRERPOLICY].
- Update ARIA reference to [wai-aria-1.1], which introduces new features to improve accessibility.
- The `nonce` attribute for `<link>` as used in Content Security Policy [CSP3].
- The `allowpaymentrequest` attribute of `<iframe>`, for integration with the Payment Request API [PAYMENT-REQUEST].
- The allow-presentation value for the `sandbox` attribute of `<iframe>`, for integration with the Presentation API [PRESENTATION-API].
- The canonical value for the `rel` attribute of links.
- The `noreferrer` link type value for [SECURE-CONTEXTS].
- The apple-touch-icon value for the `rel` attribute to allow the use of the `size` attribute in the `<link>` element.
- The `registerContentHandler()`, `isContentHandlerRegistered()` and `isProtocolHandlerRegistered()` methods.
- The `innerText` IDL attribute for `HTMLElement`.
- Define the `about:html-kind` URL for MP4 media track integration.
- Integrate the `Should element be blocked a priori by Content Security Policy?` of [CSP3]

<https://www.shabakeh-mag.com/workshop/11196/52-html-%D9%87%D9%85%D8%B1%D8%A7:%D8%A7-%D9%87-%D8%A8%D8%A7-%D9%82%D8%A7%D8%A8%D9%84%DB%8C%D8%AA%E2%80%8C%D9%87%D8%A7%DB%8C-%D8%AC%D8%AF%DB%8C%D8%AF-%D9%85%D9%86%D8%AA%D8%B4%D8%B1-%D8%B4%D8%AF>