

A black wireless router with three antennas is shown on a white surface. Concentric yellow circles around the antennas represent the signal waves. The background is a blurred cityscape.

□□□□ □□□□ □□□ □□□ □□□□□□ □□□□□□ :□□□ □□□

.**Medium-Low/Medium-High-**

.**Medium-**

:Highest-

.

:Transmit Power-
.
.
.
.
.
.
.



(iOS)

:Lowest-
.
.

:Medium-Low/Medium/Medium-High-

:Highest (Default)-


.

:Throughput Enhancement/Booster-
Intel Throughput Enhancement . Disable
SIFS DIFS
.

DIY WiFi Antenna Reception Booster :



.USB Realtek Atheros WindSurfer A4 Size Template USB .



Keep
Square

WifiInfoView

File Edit View Options Help

SSID	MAC Address	PHY Type	RSSI	Signal Quality	Frequency	Channel	Information Size	Elements Count	Company
foster	BB-A3-86-4A-92-11	802.11n	-79	35	2.462	11	413	17	D-Link International
StonyCreek	00-26-88-E7-2E-BC	802.11n	-65	58	2.437	6	347	16	Juniper Networks
C network	68-A8-6D-5D-2C-DF	802.11n	-72	46	2.412	1	225	15	Apple, Inc.
TELUS4227	A8-39-44-40-57-E4	802.11n	-74	43	2.412	1	372	17	Actiontec Electronics,
Vicky	20-76-00-11-01-28	802.11n	-83	28	2.462	11	251	16	Actiontec Electronics,

Element ID: 0 (SSID)
53 74 6F 6E 79 43 72 65 65 68 StonyCreek

Element ID: 1 (Supported Rates)
82 84 8B 96 24 30 48 6C\$0H1

Element ID: 3 (DS Parameter Set)
06

5 item(s), 1 Selected NirSoft Freeware. <http://www.nirsoft.net>

□□□□ □□□□□□ □ □□□□ □□□□ □□□□ :□□□□ □□

: □ □ □ □ □ □

•••••

geckoandfly

: □ □ □ □ □ □ □ □

--	--	--	--	--	--

: □□□□□□ □□□□□

08:25 - 14/06/1396

• ☐ ☐ ☐ ☐ ☐

□□□□□□ - □□□□□□□□ □□□□ □□□□□□ - □□□□ □□□□ □□□□□□ □□□□□□

5/5/20

<https://www.shabakeh-mag.com/workshop/9463/%D8%A8%D8%A7-%D8%A7%DB%8C%D9%86-%D8%B1%D9%88%D8%B4-%D8%B3%D8%B1%D8%B9%D8%AA-%D9%88-%D9%82%D8%AF%D8%B1%D8%AA-%D8%B3%DB%8C%DA%AF%D9%86%D8%A7%D9%84-%D9%88%D8%A7%DB%8C%D8%B1%D9%84%D8%B3->

[%D9%84%D9%BE%E2%80%8C%D8%AA%D8%A7%D9%BE-%D8%B1%D8%A7-%D8%A7%D9%81%D8%B2%D8%A7%DB%8C%D8%B4-%D8%AF%D9%87%DB%8C%D8%AF](#)